

```

CORRELATIONS
/VARIABLES=dbd0413 suhu0413
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

## Correlations

### Notes

Output Created		21-JUN-2014 07:27:39
Comments		
Input	Data	D:\tesis\spss lag 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	119
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=dbd0413 suhu0413 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,08

[DataSet1] D:\tesis\spss lag 1.sav

### Correlations

	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	suhu lag 1 bln 2004-2013
kejadian demam berdarah dengue lag 1 bulan tahun 04-13	Pearson Correlation	1
		-.314**

13	Sig. (2-tailed)		.000
	N	119	119
	Pearson Correlation	-.314**	1
suhu lag 1 bln 2004-2013	Sig. (2-tailed)	.000	
	N	119	119

\*\* . Correlation is significant at the 0.01 level (2-tailed).

```
NONPAR CORR
/VARIABLES=dbd0413 suhu0413
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

## Nonparametric Correlations

### Notes

Output Created	21-JUN-2014 07:27:39	
Comments		
Input	Data	D:\tesis\spss lag 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	119
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	NONPAR CORR /VARIABLES=dbd0413 suhu0413 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02
	Number of Cases Allowed	174762 cases <sup>a</sup>

a. Based on availability of workspace memory

[DataSet1] D:\tesis\spss lag 1.sav

### Correlations

		kejadian demam berdarah dengue lag 1 bulan tahun 04-13	suhu lag 1 bln 2004-2013
Spearman's rho	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	Correlation Coefficient	1.000
		Sig. (2-tailed)	.004
		N	119
	suhu lag 1 bln 2004-2013	Correlation Coefficient	-.265**
		Sig. (2-tailed)	.004
		N	119

\*\* . Correlation is significant at the 0.01 level (2-tailed).

#### REGRESSION

```

/DESCRIPTIVES MEAN STDDEV CORR SIG N
/MISSING LISTWISE
/STATISTICS COEFF OUTS CI(95) R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT dbd0413
/METHOD=ENTER suhu0413.

```

## Regression

### Notes

Output Created	21-JUN-2014 07:28:34	
Comments		
Input	Data	D:\tesis\spss lag 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	N of Rows in Working Data File	119
	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax		REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS CI(95) R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT dbd0413 /METHOD=ENTER suhu0413.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,07
	Memory Required	1396 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1] D:\tesis\spss lag 1.sav

#### Descriptive Statistics

	Mean	Std. Deviation	N
kejadian demam berdarah dengue lag 1 bulan tahun 04-13	50.82	44.963	119
suhu lag 1 bln 2004-2013	27.659	.5795	119

#### Correlations

		kejadian demam berdarah dengue lag 1 bulan tahun 04-13	suhu lag 1 bln 2004-2013
Pearson Correlation	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	1.000	-.314
	suhu lag 1 bln 2004-2013	-.314	1.000
Sig. (1-tailed)	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	.	.000
	suhu lag 1 bln 2004-2013	.000	.
N	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	119	119
	suhu lag 1 bln 2004-2013	119	119

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	suhu lag 1 bln 2004-2013 <sup>b</sup>	.	Enter

a. Dependent Variable: kejadian demam berdarah dengue

lag 1 bulan tahun 04-13

b. All requested variables entered.

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.314 <sup>a</sup>	.099	.091	42.864

a. Predictors: (Constant), suhu lag 1 bln 2004-2013

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	23594.812	1	23594.812	12.842	.000 <sup>b</sup>
	Residual	214962.483	117	1837.286		
	Total	238557.294	118			

a. Dependent Variable: kejadian demam berdarah dengue lag 1 bulan tahun 04-13

b. Predictors: (Constant), suhu lag 1 bln 2004-2013

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B	
		B	Std. Error	Beta			Lower Bound	Upper Bound
1	(Constant)	725.724	188.371		3.853	.000	352.665	1098.783
	suhu lag 1 bln 2004-2013	-24.401	6.809	-.314	-3.584	.000	-37.886	-10.916

a. Dependent Variable: kejadian demam berdarah dengue lag 1 bulan tahun 04-13

**CORRELATIONS**

/VARIABLES=dbd0413 ch0413  
 /PRINT=TWOTAIL NOSIG  
 /MISSING=PAIRWISE.

## Correlations

### Notes

Output Created		21-JUN-2014 07:42:21
Comments		
	Data	D:\tesis\spss lag 1.sav
	Active Dataset	DataSet1
Input	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	119
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=dbd0413 ch0413 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,08
	Elapsed Time	00:00:00,10

[DataSet1] D:\tesis\spss lag 1.sav

### Correlations

		kejadian demam berdarah dengue lag 1 bulan tahun 04-13	curah hujan lag 1 bln 2004-2013
kejadian demam berdarah dengue lag 1 bulan tahun 04-13	Pearson Correlation	1	.355**
	Sig. (2-tailed)		.000
curah hujan lag 1 bln 2004-2013	N	119	119
	Pearson Correlation	.355**	1
	Sig. (2-tailed)	.000	

N

119

119

\*\* . Correlation is significant at the 0.01 level (2-tailed).

NONPAR CORR

/VARIABLES=dbd0413 ch0413

/PRINT=SPEARMAN TWOTAIL NOSIG

/MISSING=PAIRWISE.

## Nonparametric Correlations

### Notes

Output Created		21-JUN-2014 07:42:21
Comments		
Input	Data	D:\tesis\spss lag 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=dbd0413 ch0413 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,03
	Number of Cases Allowed	174762 cases <sup>a</sup>

a. Based on availability of workspace memory

[DataSet1] D:\tesis\spss lag 1.sav

### Correlations

		kejadian demam berdarah dengue lag 1 bulan tahun 04-13	curah hujan lag 1 bln 2004-2013
Spearman's rho	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	Correlation Coefficient	1.000
		Sig. (2-tailed)	.416**
		N	.000
		N	119
	curah hujan lag 1 bln 2004-2013	Correlation Coefficient	.416**
		Sig. (2-tailed)	1.000
	N	.000	
	N	119	

\*\* . Correlation is significant at the 0.01 level (2-tailed).

#### REGRESSION

```

/DESCRIPTIVES MEAN STDDEV CORR SIG N
/MISSING LISTWISE
/STATISTICS COEFF OUTS CI(95) R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT dbd0413
/METHOD=ENTER ch0413.

```

## Regression

### Notes

Output Created	21-JUN-2014 07:42:36
Comments	
Input	Data D:\tesis\spss lag 1.sav
	Active Dataset DataSet1
	Filter <none>
	Weight <none>
	Split File <none>
	N of Rows in Working Data File 119
Missing Value Handling	Definition of Missing User-defined missing values are treated as missing.
	Cases Used Statistics are based on cases with no missing values for any variable used.

Syntax		REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS CI(95) R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT dbd0413 /METHOD=ENTER ch0413.
Resources	Processor Time	00:00:00,11
	Elapsed Time	00:00:00,35
	Memory Required	1396 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1] D:\tesis\spss lag 1.sav

#### Descriptive Statistics

	Mean	Std. Deviation	N
kejadian demam berdarah dengue lag 1 bulan tahun 04-13	50.82	44.963	119
curah hujan lag 1 bln 2004-2013	175.655	137.4018	119

#### Correlations

		kejadian demam berdarah dengue lag 1 bulan tahun 04-13	curah hujan lag 1 bln 2004-2013
Pearson Correlation	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	1.000	.355
	curah hujan lag 1 bln 2004-2013	.355	1.000
Sig. (1-tailed)	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	.	.000
	curah hujan lag 1 bln 2004-2013	.000	.
N	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	119	119
	curah hujan lag 1 bln 2004-2013	119	119

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	curah hujan lag 1 bln 2004-2013 <sup>b</sup>	.	Enter

- a. Dependent Variable: kejadian demam berdarah dengue lag 1 bulan tahun 04-13  
b. All requested variables entered.

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.355 <sup>a</sup>	.126	.118	42.219

- a. Predictors: (Constant), curah hujan lag 1 bln 2004-2013

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	30011.947	1	30011.947	16.838	.000 <sup>b</sup>
	Residual	208545.347	117	1782.439		
	Total	238557.294	118			

- a. Dependent Variable: kejadian demam berdarah dengue lag 1 bulan tahun 04-13  
b. Predictors: (Constant), curah hujan lag 1 bln 2004-2013

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B	
		B	Std. Error	Beta			Lower Bound	Upper Bound
1	(Constant)	30.436	6.298		4.833	.000	17.963	42.909
	curah hujan lag 1 bln 2004-2013	.116	.028	.355	4.103	.000	.060	.172

- a. Dependent Variable: kejadian demam berdarah dengue lag 1 bulan tahun 04-13

**CORRELATIONS**

/VARIABLES=dbd0413 rh0413  
/PRINT=TWOTAIL NOSIG  
/MISSING=PAIRWISE.

## Correlations

### Notes

Output Created		21-JUN-2014 07:44:34
Comments		
	Data	D:\tesis\spss lag 1.sav
	Active Dataset	DataSet1
Input	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	119
	Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=dbd0413 rh0413 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,08
	Elapsed Time	00:00:00,11

[DataSet1] D:\tesis\spss lag 1.sav

### Correlations

		kejadian demam berdarah dengue lag 1 bulan tahun 04-13	kelembaban lag 1 bulan 2004-2013
kejadian demam berdarah dengue lag 1 bulan tahun 04-13	Pearson Correlation	1	.298**
	Sig. (2-tailed)		.001
kelembaban lag 1 bulan 2004-2013	N	119	119
	Pearson Correlation	.298**	1
	Sig. (2-tailed)	.001	

N

119

119

\*\* . Correlation is significant at the 0.01 level (2-tailed).

NONPAR CORR

/VARIABLES=dbd0413 rh0413

/PRINT=SPEARMAN TWOTAIL NOSIG

/MISSING=PAIRWISE.

## Nonparametric Correlations

### Notes

Output Created		21-JUN-2014 07:44:34
Comments		
Input	Data	D:\tesis\spss lag 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	119
	Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling		Statistics for each pair of variables are based on all the cases with valid data for that pair.
	Cases Used	NONPAR CORR
Syntax		/VARIABLES=dbd0413 rh0413 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,01
	Number of Cases Allowed	174762 cases <sup>a</sup>

a. Based on availability of workspace memory

[DataSet1] D:\tesis\spss lag 1.sav

### Correlations

		kejadian demam berdarah dengue lag 1 bulan tahun 04-13	kelembaban lag 1 bulan 2004-2013
Spearman's rho	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	Correlation Coefficient	1.000
		Sig. (2-tailed)	.281**
		N	.002
		N	119
	kelembaban lag 1 bulan 2004-2013	Correlation Coefficient	119
		Sig. (2-tailed)	1.000
	N	.002	.002
	N	119	119

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## Regression

### Notes

Output Created	21-JUN-2014 07:44:48
Comments	
Data	D:\tesis\spss lag 1.sav
Active Dataset	DataSet1
Filter	<none>
Weight	<none>
Split File	<none>
N of Rows in Working Data File	119
Definition of Missing	User-defined missing values are treated as missing.
Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	<pre> REGRESSION   /DESCRIPTIVES MEAN STDDEV CORR   SIG N   /MISSING LISTWISE   /STATISTICS COEFF OUTS CI(95) R ANOVA   /CRITERIA=PIN(.05) POUT(.10)   /NOORIGIN   /DEPENDENT dbd0413   /METHOD=ENTER rh0413. </pre>
Resources	Processor Time 00:00:00,03

Elapsed Time	00:00:00,10
Memory Required	1396 bytes
Additional Memory Required for Residual Plots	0 bytes

[DataSet1] D:\tesis\spss lag 1.sav

#### Descriptive Statistics

	Mean	Std. Deviation	N
kejadian demam berdarah dengue lag 1 bulan tahun 04-13	50.82	44.963	119
kelembaban lag 1 bulan 2004-2013	79.94	4.003	119

#### Correlations

		kejadian demam berdarah dengue lag 1 bulan tahun 04-13	kelembaban lag 1 bulan 2004-2013
Pearson Correlation	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	1.000	.298
	kelembaban lag 1 bulan 2004-2013	.298	1.000
Sig. (1-tailed)	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	.	.000
	kelembaban lag 1 bulan 2004-2013	.000	.
N	kejadian demam berdarah dengue lag 1 bulan tahun 04-13	119	119
	kelembaban lag 1 bulan 2004-2013	119	119

#### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	kelembaban lag 1 bulan 2004-2013 <sup>b</sup>	.	Enter

a. Dependent Variable: kejadian demam berdarah dengue lag 1 bulan tahun 04-13

b. All requested variables entered.

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.298 <sup>a</sup>	.089	.081	43.102

a. Predictors: (Constant), kelembaban lag 1 bulan 2004-2013

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	21192.304	1	21192.304	11.407	.001 <sup>b</sup>
	Residual	217364.990	117	1857.820		
	Total	238557.294	118			

a. Dependent Variable: kejadian demam berdarah dengue lag 1 bulan tahun 04-13

b. Predictors: (Constant), kelembaban lag 1 bulan 2004-2013

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B	
		B	Std. Error	Beta			Lower Bound	Upper Bound
1	(Constant)	-216.823	79.344		-2.733	.007	-373.959	-59.686
	kelembaban lag 1 bulan 2004-2013	3.348	.991	.298	3.377	.001	1.385	5.311

a. Dependent Variable: kejadian demam berdarah dengue lag 1 bulan tahun 04-13

**REGRESSION**

```

/DESCRIPTIVES MEAN STDDEV CORR SIG N
/MISSING LISTWISE
/STATISTICS COEFF OUTS CI(95) R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT dbd0413
/METHOD=ENTER rh0413.

```